

# Butterflies of Konza Prairie

The following list gives the common and scientific names of those butterflies which could possibly be found on Konza Prairie.

KEY: x = specimen archived at an institution

o = specimen part of a private collection

s = sighted but not collected or archived

Common Name	Latin Name	Konza	Riley	Geary	Pott	Annotations
<b>SKIPPIERS</b>	<b>Family Hesperiidae</b>					
<b>Silver-spotted Skipper</b>	<i>Epargyreus clarus</i> (Cramer)	x	x	x	x	resident
<b>Hoary Edge</b>	<i>Achalarus lyciades</i> (Geyer)					habitat & hosts available
<b>Southern Cloudy Wing</b>	<i>Thorybes bathylus</i> (J.E. Smith)	x	x	x	x	resident
<b>Northern Cloudy Wing</b>	<i>Thorybes pylades</i> (Scudder)	x		o	x	resident
<b>Confused Cloudy Wing</b>	<i>Thorybes confusis</i> Bell					habitat available
<b>Scalloped Sooty Wing</b>	<i>Staphylus hayhurstii</i> (W. Edwards)	x	x	x	x	resident
<b>Sickle-winged Skipper</b>	<i>Achlyodes thraso tamenund</i> W. Edwards		o			stray
<b>Sleepy Dusky Wing</b>	<i>Erynnis brizo</i> (Boisduval & LeConte)		x			habitat & host avail.; voucher at FHSU
<b>Juvenal's Dusky Wing</b>	<i>Erynnis juvenalis</i> (Fabricius)	x	o		o	resident
<b>Horace's Dusky Wing</b>	<i>Erynnis horatius</i> (Scudder & Burgess)	x	x	x	x	resident
<b>Mottled Dusky Wing</b>	<i>Erynnis martialis</i> (Scudder)	x	o			resident, host abundant
<b>Funeral Dusky Wing</b>	<i>Erynnis funeralis</i> (Scudder & Burgess)	x				stray, habitat available
<b>Wild Indigo Dusky Wing</b>	<i>Erynnis baptisiae</i> (Forbes)	x	x	x		resident
<b>Checkered Skipper</b>	<i>Pyrgus communis</i> (Grote)	x	x	x	x	resident
<b>Common Sooty Wing</b>	<i>Pholisora catullus</i> (Fabricius)	x	x	x	x	resident
<b>Swarthy Skipper</b>	<i>Nastra lherminier</i> (Latreille)				o	stray
<b>Least Skipper</b>	<i>Ancyloxypha numitor</i> (Fabricius)	x	x	x	x	resident
<b>Orange Skipperling</b>	<i>Copaeodes aurantiacus</i> (Hewitson)		x			stray; KSU Oct. 1963
<b>Fiery Skipper</b>	<i>Hylephila phyleus</i> (Drury)	x	x	x	x	immigrants and offspring
<b>Uncas Skipper</b>	<i>Hesperia uncas</i> W. Edwards					habitat available
<b>Ottoe Skipper</b>	<i>Hesperia ottoe</i> W. Edwards	x	o	x		resident
<b>Pawnee Skipper</b>	<i>Hesperia pawnee</i> Dodge					habitat available
<b>Green Skipper</b>	<i>Hesperia viridis</i> (W. Edwards)					habitat available
<b>Dotted Skipper</b>	<i>Hesperia attalus</i> (W. Edwards)					habitat available
<b>Peck's Skipper</b>	<i>Polites peckius</i> (Kirby) (=coras)	x	x		x	resident
<b>Tawny-edged Skipper</b>	<i>Polites themistocles</i> (Latreille)	x	x	x	x	resident
<b>Crossline Skipper</b>	<i>Polites origenes</i> (Fabricius)	x	x			localized resident
<b>Northern Broken Dash</b>	<i>Wallengrenia egeremet</i> (Scudder)		x		x	habitat available; KSU Jul. 1968
<b>Little Glassywing</b>	<i>Pompeius verna</i> (W. Edwards)	x				localized resident
<b>Sachem</b>	<i>Atalopedes campestris huron</i> (W. Edwards)	x	x	x	x	immigrants and offspring
<b>Arogs Skipper</b>	<i>Atrytone arogs iowa</i> (Scudder)	x	x	x		resident
<b>Delaware Skipper</b>	<i>Anatrytone logan</i> (W. Edwards)(=delaware)	x	x	x	x	resident
<b>Byssus Skipper</b>	<i>Problema byssus kumskaka</i> (Scudder)	x				resident; late afternoon
<b>Hobomok Skipper</b>	<i>Poanes hobomok</i> (T. Harris)	x				flight; secretive
<b>Zabulon Skipper</b>	<i>Poanes zabulon</i> (Boisduval & LeConte)	x	x	x	o	resident
<b>Dion Skipper</b>	<i>Euphyes dion</i> (W. Edwards)				x	resident
<b>Dun Skipper</b>	<i>Euphyes vestris metacomet</i> (Harris)(=ruricola)	x	x	x	x	habitat available

<b>Dusted Skipper</b>	Atrytonopsis hianna turneri H.A. Freeman	x				localized resident
<b>Nysa Roadside Skipper</b>	Amblyscirtes nysa W. Edwards	x	x	x	x	resident
<b>Roadside Skipper</b>	Amblyscirtes vialis (W. Edwards)	x	x	x	x	resident
<b>Eufala Skipper</b>	Lerodea eufala (W. Edwards)	x	x	x	x	immigrants and offspring
<b>SWALLOTAILS</b>						
<b>Pipe Vine Swallowtail</b>	Battus philenor (Linnaeus)		o			stray
<b>Zebra Swallowtail</b>	Eurytides marcellus (Cramer)	s	o			sight record for Konza; KSU 1939
<b>Black Swallowtail</b>	Papilio polyxenes asterius Stoll	x	x	x	x	resident
<b>Giant Swallowtail</b>	Heraclides cresphontes (Cramer)	x	x	x	x	resident
<b>Tiger Swallowtail</b>	Pterourus glaucus (Linnaeus)	x	x	x	x	resident
<b>Spicebush Swallowtail</b>	Pterourus troilus (Linnaeus)		x			stray; KSU 1982
<b>SULPHURS AND WHITES</b>						
<b>Checkered White</b>	Pontia protodice (Boisduval & LeConte)	x	x	x	x	immigrants & offspring
<b>Cabbage Butterfly</b>	Artogeia rapae (Linnaeus)	x	x	x	x	resident
<b>Olympia Marble</b>	Euchloe olympia (W. Edwards)	x	x	x	x	resident
<b>Falcate Orange Tip</b>	Falcapica midea (Huebner)					habitat avail., emergence unpredictable
<b>Clouded Sulphur</b>	Colias philodice Godart	x	x	x	x	resident
<b>Alfalfa Butterfly</b>	Colias eurytheme Boisduval	x	x	x	x	resident
<b>Dog Face</b>	Zerene cesonia (Stoll)	x	o		x	immigrants and offspring
<b>Cloudless Sulphur</b>	Phoebeis sennae eubule (Linnaeus)	x	x	x	x	immigrants and offspring
<b>Mexican Yellow</b>	Eurema mexicanum (Boisduval)		x			stray; KSU 1968
<b>Little Sulphur</b>	Pyrisitia lisa (Boisduval & LeConte)	x	x	x	x	resident
<b>Sleepy Orange</b>	Abaeis nicippe (Cramer)	x	x	x	x	resident
<b>Dainty Sulphur</b>	Nathalis iole Boisduval	x	x	x	x	resident
<b>GOSSAMER WINGS</b>						
<b>Harvester</b>	Feniseca tarquinius (Fabricius)					nomadic, larva
<b>American Copper</b>	Lycaena phlaeas americana Harris		o		o	carnivorous on aphids
<b>Great Copper</b>	Gaeides xanthoides dione (Scudder)	x	x	x	x	nomadic
<b>Bronze Copper</b>	Hyllolycaena hyllus (Cramer)		x	x	x	resident
<b>Purplish Copper</b>	Epidemia heliooides (Boisduval)					resident
<b>Coral Hairstreak</b>	Harkenclenus titus (Fabricius)	x			x	habitat available
<b>Acadian Hairstreak</b>	Satyrium acadicum (W. Edwards)					resident
<b>Edwards' Hairstreak</b>	Satyrium edwardsii (Grote & Robinson)					habitat available
<b>Banded Hairstreak</b>	Satyrium calanus falacer (Godart)	x		x	o	resident
<b>Hickory Hairstreak</b>	Satyrium caryaevorum (McDunnough)	x				resident
<b>Striped Hairstreak</b>	Satyrium liparops (LeConte)		o		o	localized resident
<b>Olive Hairstreak</b>	Mitoura grynea (Huebner)	x	x	x	x	resident
<b>Henry's Elfin</b>	Incisalia henrici turneri Clench	x	x	x	x	resident
<b>Gray Hairstreak</b>	Strymon melinus franki Field	x	x	x	x	immigrants and offspring
<b>Marine Blue</b>	Leptotes marina (Reakirt)		o		x	stray; KSU 1958
<b>Reakirt's Blue</b>	Hemiargus isola alce (W. Edwards)	x	x	x	x	host: Shrankia nuttallii
<b>Eastern Tailed Blue</b>	Everes comyntas (Godart)	x	x	x	x	on Konza;
<b>Spring Azure</b>	Celastrina ladon (Cramer)	x	x	x	x	resident
<b>Summer Azure</b>	Celastrina neglecta (W. Edwards)	x				resident
<b>Silvery Blue</b>	Glaucoopsyche lygdamus (Doubleday)					split from Spring Azure, Allen 1997
<b>Melissa Blue</b>	Lycaeides melissa (W. Edwards)	x	x	o		early emergence, short flight period
<b>Acmon Blue</b>	Icaricia acmon (Westwood & Hewitson)					localized resident; voucher RLH
<b>SNOUT BUTTERFLIES</b>						isolated populations in Kansas
<b>Snout Butterfly</b>	Libytheana bachmanii (Kirtland)	x	x	x		immigrants and offspring
<b>BRUSH-FOOTED BUTTERFLIES</b>						
	<b>Family Libytheidae</b>					
	<b>Family Nymphalidae</b>					

<b>Gulf Fritillary</b>	Agraulis vanilla incarnata (Riley)	o				immigrant
<b>Variegated Fritillary</b>	Euptoieta claudia (Cramer)	x	x	x	x	resident
<b>Great Spangled Fritillary</b>	Speyeria cybele (Fabricius)	x	x	x	x	resident
<b>Aphrodite Fritillary</b>	Speyeria aphrodite alcestis (W. Edwards)					habitat available
<b>Regal Fritillary</b>	Speyeria idalia (Drury)	x	x	x	x	resident
<b>Bordered Patch</b>	Chlosyne lacinia adjutrix Scudder				o	stray
<b>Gorgone Checkerspot</b>	Charidryas gorgone carlota (Reakirt)	x	x	x	x	resident
<b>Silvery Checkerspot</b>	Charidryas nycteis (Doubleday & Hewitson)	x	x	x	x	resident
<b>Texas Crescent</b>	Anthanassa texana (W. Edwards)	o				stray from south
<b>Vesta Crescent</b>	Phyciodes vesta (W. Edwards)	o				stray from south; KSU, no date
<b>Phaon Crescent</b>	Phyciodes phaon (W. Edwards)		x	x		localized resident; voucher FHSU
<b>Pearl Crescent</b>	Phyciodes tharos (Drury)	x	x	x	x	resident
<b>Question Mark</b>	Polygonia interrogationis (Fabricius)	x	x	x	x	resident
<b>Hop Merchant</b>	Polygonia comma (T. Harris)	x	x	x	x	resident
<b>Gray Comma</b>	Polygonia progne (Cramer)		x	x	x	resident; FHSU
<b>Mourning Cloak</b>	Nymphalis antiopa (Linnaeus)	s	o	x	x	resident
<b>American Painted Lady</b>	Vanessa virginensis (Drury)	x	x	x	x	resident
<b>Painted Lady</b>	Vanessa cardui (Linnaeus)	x	x	x	x	immigrants and offspring
<b>Red Admiral</b>	Vanessa atalanta rubria (Fruhstorfer)	x	x	x	x	resident
<b>Buckeye</b>	Junonia coenia Huebner	x	x	x	x	resident
<b>Red-spotted Purple</b>	Basilarchia arthemis astyanax (Fabricius)	s	x	x	x	resident
<b>Viceroy</b>	Basilarchia archippus (Cramer)	x	x	x	x	resident
<b>EMPERORS</b>	<b>Family Apaturidae</b>					
<b>Goatweed Butterfly</b>	Anaea andria Scudder	x	x	x	x	resident
<b>Hackberry Butterfly</b>	Asterocampa celtis (Boisduval & LeConte)	x	x	x	x	resident
<b>Tawny Emperor</b>	Asterocampa clyton (Boisduval & LeConte)	x	x	x	x	resident
<b>SATYRS, BROWNS &amp; WOOD NYMPHS</b>	<b>Family Satyridae</b>					
<b>Northern Pearly Eye</b>	Enodia anthedon A. H. Clark	x		x	x	resident
<b>Eyed Brown</b>	Satyrides eurydice (Johansson)					localized resident
<b>Little Wood Satyr</b>	Megisto cymela (Cramer)	x	x	x	x	resident
<b>Common Wood Nymph</b>	Cercyonis pegala texana (W. Edwards)	x	x	x	x	resident
<b>MILKWEED BUTTERFLIES</b>	<b>Family Danaidae</b>					
<b>Monarch</b>	Danaus plexippus (Linnaeus)	x	x	x	x	immigrants & offspring
<b>Queen</b>	Danaus gilippus strigosus (Bates)	x	o			immigrants and offspring; KSU 1882?

KEY: x = specimen archived at an institution; o = specimen part of a private collection; s = sighted but not collected or archived

Abbreviations: FHSU=Fort Hays State University; KSU=Kansas State University; RLH=Ron L. Huber

repared by Dr. Valerie Wright and Ron and Cathy Huber, 1/2000